



Product Name: **LIQUID WHITENER N.P. (LT SANITIZER)**

**HEALTH HAZARD INFORMATION FOR PRODUCT**

**EMERGENCY and FIRST AID PROCEDURES**

Inhalation: Get fresh air. Keep victim warm and at rest.

Ingestion: Drink large quantities of milk or water. Take sodium bicarbonate as an antidote. Do not induce vomiting. Get medical attention.

Eyes: Flush thoroughly with water for 15 minutes. Get medical attention.

Skin: Flush with plenty of water. For severe exposure get medical attention.

**EFFECTS OF OVEREXPOSURE (Acute and Chronic)**

Inhalation: May produce severe bronchial irritation, pulmonary edema.

Ingestion: Do not take internally. Ingestion may cause corrosion of mucous membranes, esophageal or gastric perforation, laryngeal edema. May cause nausea, vomiting, diarrhea, and shock.

Eyes: Keep away from eyes. May cause severe irritation.

Skin: Skin contact may result in irritation.

**PREVENTIVE MEASURES**

Steps to be taken upon release or spillage (including neutralizing):

May be neutralized with sodium sulphite, sodium bisulphite or dilute hydrogen peroxide.

Waste disposal method:

Flush with water for small spills. Dispose according to environmental regulations.

Handling and Storage Requirements:

Container should be kept closed when not in use.

Ventilation Requirements (Local or General):

Use in well ventilated area.

Respiratory Protection:

A mask may be worn.

Eye Protection:

Safety glasses with sideshield.

Other Protection:

Rubber or neoprene gloves may be worn. As well rubber boots and apron may be used.